



Form PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.: 038602/1060	SERIAL NO.: 09/716,332
INFORMATION DISCLOSURE CITATION		APPLICANT: Narmada SHENOY, et al.	
		FILING DATE: 11/21/2000	GROUP ART UNIT: 1615

## FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION YES/NO
	A33	98/07695	02-26-98	WO			
	A34	98/07835	02-26-98	WO			
	A35	98/24432	06-11-98	WO			
	A36	98/38984	09-11-98	WO			
	A37	98/45708	10-15-98	WO			
	A38	98/50356	11-12-98	WO			
	A39	98/56376	12-17-98	WO			
	A40	99/10325	03-04-99	WO			
	A41	99/19325	4-22-99	WO			
	A42	99/48868	09-30-99	WO			
	A43	99/61422	12-02-99	WO			
	A44	00/56709	06-22-00	WO			
	A45	00/38519	07-06-00	WO			
	A46	00/35908	06-22-00	WO			
	A47	00/08202	02-17-00	WO			
	A48	0 252 731 A2	01-13-88	EP			
	A49	0 304 493	03-01-89	EP			
	A50	0 566 226 A1	10-20-93	EP			
	A51	0 934 931 A2	08-11-99	EP			
	A52	0 934 931 A3	08-11-99	EP			
	A53	1 599 772	07-20-70	France			

## OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, Etc.)

	A54	Akbasak and Sunar-Akbasak., "Oncogenes: cause or consequence in the development of glial tumors," <u>J. Neurol. Sci.</u> 111:119-133 (1992)
	A55	Andreani et al., "Synthesis and potential coanthracyclinic activity of substituted 3-(5-imidazo[2,1-b]thiazolylmethylene)-2-indolinones," <u>Eur. J. Med. Chem.</u> 32:919-924 (1997) ©Elsevier, Paris.
	A56	Andreani et al., "In vivo cardiotoxic activity of pyridylmethylene-2-indolinones" <u>Arzneimittel-Forschung Drug Research</u> 48(II): 727-729 (1998)
	A57	Andreani et al., "Synthesis and cardiotoxic activity of 2-indolinones," <u>Eur. J. Med. Chem.</u> 25(2):187-190 (1990).
	A58	Arteaga et al., "Blockade of the Type I Somatomedin Receptor Inhibits Growth of Human Breast Cancer Cells in Athymic Mice," <u>J. Clin. Invest.</u> 84:1418-1423 (1989) ©The American Society for Clinical Investigation, Inc.
	A59	Avidsson et al., "Try-716 in the Platelet-Derived-Growth-Factor $\beta$ -Receptor Kinase Insert is Involved in GRB2 Binding and Ras Activation," <u>Molecular and Cellular Biology</u> 14(10):6715-6726 (1994) ©The American Society for Microbiology

Form PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.: 038602/1060	SERIAL NO.: 09/716,332
INFORMATION DISCLOSURE CITATION		APPLICANT: Narmada SHENOY, et al.	
		FILING DATE: 11/21/2000	GROUP ART UNIT: 1815
OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, Etc.)			
A60		Baserga, "Oncogenes and the Strategy of Growth Factors," <u>Cell</u> 79:927-93 (1994) ©Cell Press	
A61		Baserga, "The Insulin-like Growth Factor I Receptor: A Key to Tumor Growth?" <u>Cancer Research</u> 55:249-252 (1995)	
A62		Bolen et al., "The Src family of tyrosine protein kinases in hemopoietic signal transduction," <u>FASEB J.</u> 6:3403-3409 (1992)	
A63		Bolen, "Nonreceptor tyrosine protein kinases," <u>Oncogene</u> 8:2025-2031 (1993) ©MacMillan Press Ltd.	
A64		Bonner et al., "Structure and Biological Activity of Human Homologs of a raf-mil Oncogene," <u>Molecular and Cellular Biology</u> 5:1400-1407 (1985) ©The American Society for Microbiology	
A65		Cance et al., "Novel Protein Kinases Expressed in Human Breast Cancer," <u>Int. J. Cancer</u> 54:571-577 (1993) ©Wiley-Liss, Inc.	
A66		Carpenedo et al., "Identification and Measurement of Oxindole (2-Indolinone) in the Mammalian Brain and Other Rat Organs" <u>Analytical Biochemistry</u> 244:74-79 (1997) ©Academic Press, Inc.	
A67		Chen et al., "Effects of 3,3-Dipyridylmethyl-1-Phenyl-2-Indolinone on $\gamma$ -Aminobutyric Acid Elicited Chloride Current of Snail Central Neuron" <u>Chinese Journal of Physiology</u> 40(3):149-156 (1997)	
A68		Claesson-Welsh, "Signal Transduction by the PDGF Receptor," <u>Progress in Growth Factor Research</u> 5:37-54 (1994) ©Elsevier Science Ltd.	
A69		Coppola et al., "A Functional Insulin-Like Growth Factor I Receptor is Required for the Mitogenic and Transforming Activities of the Epidermal Growth Factor Receptor," <u>Molecular and Cellular Biology</u> 14:4588-4595 (1994) ©The American Society for Microbiology	
A70		Damiani et al., "Inhibition of Copper-Mediated Low Density Lipoprotein Peroxidation by Quinoline and Indolinone Nitroxide Radicals," <u>Biochemical Pharmacology</u> 48(6):1155-1161 (1994) ©Elsevier Science Ltd.	
A71		Davis et al., "Synthesis and microbiological properties of 3-Amino-1-Hydroxy-2-Indolinone and Related Compounds," <u>Journal of Medicinal Chemistry</u> 16(9):1043-1045 (1973) ©American Chemical Society	
A72		De Vries et al., "The <i>fms</i> -Like Tyrosine Kinase, a Receptor for Vascular Endothelial Growth Factor," <u>Science</u> 255:989-991, 1141	
A73		Decker and Lohmann-Matthes, "A quick and simple method for the quantitation of lactate dehydrogenase release in measurements of cellular cytotoxicity and tumor necrosis factor (TNF) activity," <u>J. Immunol. Methods</u> 15:61-69 (1988) ©Elsevier	
A74		Decodts et al., "Suicide inhibitors of proteases. Lack of activity of halomethyl derivatives of some aromatic lactams," <u>Eur. J. Med. Chem. - Chlm. Ther.</u> , 18(2):107-111 (1983)	
A75		Dickson et al., "Tyrosine kinase receptor - nuclear protooncogene interactions in breast cancer," <u>Cancer Treatment Res.</u> 61:249-273 (1992) ©Kluwer Academic Publishers	
A76		Fantl et al., "Distinct Phosphotyrosines on a Growth Factor Receptor Bind to Specific Molecules that Mediate Different Signaling Pathways," <u>Cell</u> 69:413-423 (1992) ©Cell Press	
A77		Fendly et al., "Characterization of Murine Monoclonal Antibodies Reactive to Either the Human Epidermal Growth Factor Receptor or HER2-neu Gene product," <u>Cancer Research</u> 50:1550-1558 (1990) (mistakenly referred to as Fendley)	
A78		Ferrara and Henzel, "Pituitary Fillicular Cells Secrete a Novel Heparin-Binding Growth Factor Specific for Vascular Endothelial Cells," <u>Biochemical and Biophysical Research Communications</u> 161:851-858 (1989) ©Academic Press, Inc.	

Form PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.: 038602/1060	SERIAL NO.: 09/716,332
		APPLICANT: Narmada SHENOY, et al.	
INFORMATION DISCLOSURE CITATION			
		FILING DATE: 11/21/2000	GROUP ART UNIT: 1616
OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, Etc.)			
	A79	Fingl and Woodbury, "Chapter 1 - General Principles," In <u>The Pharmacological Basis of Therapeutics</u> 5 <sup>th</sup> edition, Goodman and Gilman editors, MacMillan Publishing Co., Inc., New York, pp. 1-46 (1975) ©MacMillan Publishing Co., Inc.	
	A80	Floegel et al., "Heparin suppresses mesangial cell proliferation and matrix expansion in experimental mesangioproliferative glomerulonephritis," <u>Kidney International</u> 43:369-380 (1993) ©International Society of Nephrology	
	A81	Floegel et al., "Factors involved in the regulation of mesangial cell proliferation <i>in vitro</i> and <i>in vivo</i> ," <u>Kidney International</u> 43:S47-S54 (1993) ©International Society of Nephrology	
	A82	Folkman and Shing, "Angiogenesis," <u>J. Bio. Chem.</u> 267:10931-10934 (1992) ©The American Society for Biochemistry and Molecular Biology	
	A83	Folkman, "Ch. 24. Angiogenesis," <u>Congress of Thrombosis and Haemostasis</u> (Verstraete et al., eds.) Leuven University Press, Leuven pp. 583-596 (1987)	
	A84	Folkman, "Tumor Angiogenesis, Therapeutic Implications," <u>New England J. Medicine</u> 285:1182-1186 (1971)	
	A85	Folkman, "What Is Evidence that Tumors Are Angiogenesis Dependent?" <u>Journal of National Cancer Institute</u> 82:4-6 (1990)	
	A86	Gazit et al., "Tyrosinases. 2. Heterocyclic and alpha-substituted benzylidenemalononitrile tyrosinases as potent inhibitors of EGF receptor and ErbB2-neu tyrosine kinases," <u>J. Med. Chem.</u> 34(6):1896-1907 (1991) ©American Chemical Society	
	A87	Gennaro (editor), <u>Remington's Pharmaceutical Sciences</u> (1990) (TABLE OF CONTENTS ONLY)	
	A88	Goldring and Goldring, "Cytokines and Cell Growth Control," <u>Critical Reviews in Eukaryotic Gene Expression</u> 1:301-326 (1991)	
	A89	Graziani et al., "Hepatocyte Growth Factor/Scatter Factor Stimulates the Ras-Guanine Nucleotide Exchanger," <u>The Journal of Biological Chemistry</u> 268(13):9165-9168 (1993) ©American Society for Biochemistry and Molecular Biology	
	A90	Hayler, et al., "Development of Large-Scale Synthesis of Ropinirole in the Pursuit of a Manufacturing Process," <u>Org. Process Res. Dev.</u> 2(1):3-9 (1998) ©The American Chemical Society and Royal Society of Chemistry	
	A91	Hirao et al., "Rhodium-catalyzed carbonylation of 2-alkynylanilines: syntheses of 1,3-dihydroindol-2-ones," <u>Tetrahedron Lett.</u> 36(35):6243-6246 (1995) ©Pergamon	
	A92	Honegger et al., "Point Mutation at the ATP Binding Site of EGF Receptor Abolishes Protein-Tyrosine Kinase Activity and Alters Cellular Routing," <u>Cell</u> 51:199-209 (1987) ©Cell Press	
	A93	Houck et al. "Dual Regulation of Vascular Endothelial Growth Factor Bioavailability by Genetic and Proteolytic Mechanisms," <u>J. Bio. Chem.</u> 267:26031-26037 (1992) ©American Society for Biochemistry and Molecular Biology, Inc.	
	A94	Hu et al., "Interaction of Phosphatidylinositol 3-Kinase-Associated p85 with Epidermal Growth Factor and Platelet-Derived Growth Factor Receptors," <u>Molecular and Cellular Biology</u> 12(3):981-990 (1992) ©Am. Soc. Microbiol.	
	A95	Jellinek et al., "Inhibition of Receptor Binding by High-Affinity RNA Ligands to Vascular Endothelial Growth Factor," <u>Biochemistry</u> 33:10450-10456 (1994) ©Am. Chemical Society	
	A96	Kashishian and Cooper, "Phosphorylation Sites at the C-terminus of the Platelet-Derived Growth Factor Receptor Bind Phospholipase C $\gamma$ 1," <u>Molecular Biology of the Cell</u> 4:49-57 (1993) ©The American Society for Cell Biology	
	A97	Kashishian et al., "Phosphorylation Sites in the PDGF receptor with Different Specificities for Binding GAP and P13 Kinase <i>in vivo</i> ," <u>The EMBO Journal</u> 11(4):1373-1382 (1992)	

Form PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.: 038602/1060	SERIAL NO.: 09/716,332
INFORMATION DISCLOSURE CITATION		APPLICANT: Narmada SHENOY, et al.	
		FILING DATE: 11/21/2000	GROUP ART UNIT: 1613 <span style="float: right;">K14</span>
OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, Etc.)			
	A98	Kato et al., "Simultaneous Determination of Amfenac Sodium and its Metabolite (7-Benzoyl-2-Oxindole) in Human Plasma by High-Performance Liquid Chromatography," <u>Journal of Chromatography</u> 616:67-71 (1993) ©Elsevier Science	
	A99	Kazlauskas et al., "The 64-kDa Protein That Associates with the Platelet-Derived Growth Factor Receptor $\beta$ Subunit via Tyr-1009 Is The SH2-Containing Phosphotyrosine Phosphatase Syp," <u>Proc. Natl. Acad. Sci. USA</u> 90:6939-6942 (1993)	
	A100	Kendall and Thomas, "Inhibition of vascular endothelial cell growth factor activity by an endogenously encoded soluble receptor," <u>Proc. Natl. Acad. Sci. USA</u> 90:10705-10709 (1993)	
	A101	Kikumoto, et al., "Reactions of oxindoles an disatin with nitrobenzyl chlorides. Formation of 2'-hydroxy-2H-indole-2, 3' -3'H-indole," <u>Tetrahedron</u> 22(10):3337-3343 (1966) ©Pergamon Press Ltd.	
	A102	Kim et al., "Inhibition of vascular endothelial growth factor-induced angiogenesis suppressed tumor growth in vivo," <u>Nature</u> 362:841-844 (1993)	
	A103	Kinsella et al., "Protein Kinase C Regulates Endothelial Cell Tube Formation on Basement Membrane Matrix, Matrigel," <u>Exp. Cell Research</u> 199:56-62 (1992) ©Academic Press Inc.	
	A104	Klagsburn and Soker, "VEGF-VPF: The Angiogenesis Factor Found?" <u>Current Biology</u> 3:699-702 (1993) ©Current Biology	
	A105	Koch et al., "SH2 and SH3 Domains: Elements That Control Interactions of Cytoplasmic Signaling Proteins," <u>Science</u> 252:668-674 (1991)	
	A106	Komada and Kitamura, "The cell dissociation and motility triggered by scatter factor-hepatocyte growth factor are mediated through the cytoplasmic domain of the c-Met receptor," <u>Oncogene</u> 8:2381-2390 (1993)	
	A107	Korc et al., "Overexpression of the Epidermal Growth Factor Receptor in Human Pancreatic Cancer is Associated with Concomitant Increases in the Levels of Epidermal Growth Factor and Transforming Growth Factor Alpha," <u>J. Clin. Invest.</u> 90:1352-1360 (1992) ©The American Society for Clinical Investigation, Inc.	
	A108	Korzeniewski and Callewaert, "An Enzyme-Release Assay for Natural Cytotoxicity," <u>J. Immunol. Methods</u> 64:313-320 (1983) ©Elsevier Science Publishers	
	A109	Kumabe et al., "Amplification of $\alpha$ -platelet-derived growth factor receptor gene lacking an exon coding for a portion of the extracellular region in a primary brain tumor of glial origin," <u>Oncogene</u> 7:627-633 (1992)	
	A110	Lal et al., "Novel diuretic agents. Syntheses of substituted isatylidenes and 3-alkyl or 3-arylalkyl-2-oxindoles," <u>Indian J. Chem</u> 13(9):898-903 (1975)	
	A111	Lee and Donoghue, "Intracellular retention of membrane-anchored v-sis protein abrogates autocrine signal transduction," <u>Journal of Cell Biology</u> 118:1057-1070 (1992) ©The Rockefeller University Press	
	A112	Levitzi et al., "Tyrosine kinase inhibition: An approach to drug development," <u>Science</u> 267:1782-1788 (1995)	
A113	Maass et al., "Viral resistance to the thiazolo-iso-indolines, a new class of nonnucleoside inhibitors of human immunodeficiency virus type 1 reverse transcriptase," <u>Antimicrobial Agents and Chemotherapy</u> 37(12):2612-2617 (1993) ©American Society for Microbiology		
A114	Macauley et al., "Autocrine function for insulin-like growth factor I in human small cell lung cancer cell lines and fresh tumor cells," <u>Cancer Research</u> 50:2511-2517 (1990)		
A115	Mariani et al., "Inhibition of angiogenesis by PCE 26806, a potent tyrosine kinase inhibitor," <u>Experimental Therapeutics - Proceedings of the American Association for Cancer Research</u> 35:381 at abstract no. 2268 (March 1994)		

Form PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.: 038602/1060	SERIAL NO.: 09/716,332
INFORMATION DISCLOSURE CITATION		APPLICANT: Narmada SHENOY, et al.	
		FILING DATE: 11/21/2000	GROUP ART UNIT: 1045
OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, Etc.)			
	A116	Millauer et al., "High Affinity VEGF Binding and Developmental Expression Suggest Flk-1 as a Major Regulator of Vasculogenesis and Angiogenesis," <i>Cell</i> 72:835-846 (1993) ©Cell press	
	A117	Mohammadi et al., "Structures of the tyrosine kinase domain of fibroblast growth factor receptor in complex with inhibitors," <i>Science</i> 276(5314):955-960 (1997) ©American Association for the Advancement of Science	
	A118	Moreto et al., "3,3-bis-(4-hydroxyphenyl)-7-methyl-2-indolinone (BHMI), the active metabolite of the laxative sulisatin" <i>Arzneimittel-Forschung Drug Research</i> 29(II):1561-1564 (1979)	
	A119	Moreto et al., "Study of the laxative properties of the disodium salt of the sulfuric diester of bis-(4-hydroxyphenyl)-7-methyl-2-indolinone (Dan-603) in the rat," <i>European Journal of Pharmacology</i> 36:221-226 (1976) ©North-Holland Publishing Company	
	A120	Morrison et al., "Signal Transduction from Membrane to Cytoplasm: Growth Factors and Membrane-Bound Oncogene Products Increases Raf-1 Phosphorylation and Associated Protein Kinase Activity," <i>Proc. Natl. Acad. Sci. USA</i> 85: 8855-8859 (1988)	
	A121	Mosmann, "Rapid Colorimetric Assay for Cellular Growth and Survival: Application to Proliferation and Cytotoxicity Assays," <i>J. Immunol. Methods</i> 65:55-63 (1983) ©Elsevier Publishers B.V.	
	A122	Nishimura et al., "Two Signaling Molecules Share a phosphotyrosine-Containing Binding Site in the Platelet-Derived Growth Factor Receptor," <i>Molecular and Cellular Biology</i> 13:6889-6896 (1993)	
	A123	Plowman et al., "Receptor Tyrosine Kinases as Targets for Drug Intervention," <i>DN&amp;P</i> 7(6):334-339 (1994)	
	A124	Quinn et al., "Fetal Liver Kinase 1 as a Receptor for Vascular Endothelial Growth Factor and is Selectively Expressed in Vascular Endothelium," <i>Proc. Natl. Acad. Sci. USA</i> 90:7533-7537 (1993)	
	A125	Rozakis-Adcock et al., "Association of the Shc and Grb2-Sem5 SH2-containing proteins is implicated in activation of the Ras pathway by tyrosine kinases," <i>Nature</i> 360:689-692 (1992)	
	A126	Rygaard and Povlsen, "Heterotransplantation of a Human Malignant Tumor to 'Nude' Mice," <i>Acta path. microbiol. scand.</i> 77:758-760 (1969)	
	A127	Sainsbury, et al., "Electrochemical oxidation of aromatic ethers. Part 5. Further studies of the coupling reactions of alkoxyated aralkyl and aryl amides," <i>J. Chem. Soc.</i> , 1:108-114 (1979)	
	A128	Sandberg-Nordqvist et al., "Characterization of Insulin-Like Growth Factor 1 in Human Primary Brain Tumors," <i>Cancer Research</i> 53:2475-2478 (1993)	
	A129	Schlessinger and Ullrich, "Growth Factor Signalling by Receptor Tyrosine Kinases," <i>Neuron</i> 9:383-391 (1992) ©Cell Press	
	A130	Shibuya et al., "Nucleotide Sequence and Expression of a Novel Human Receptor-Type Tyrosine Kinase Gene ( <i>flk</i> ) closely related to the <i>fms</i> family", <i>Oncogene</i> 5:519-524 (1990)	
	A131	Singh et al., "Indolinone derivatives as potential antimicrobial agents," <i>Zentralbl. Mikrobiol.</i> 144:105-109 (1989) ©VEB Gustav Fischer Verlag, Jena	
	A132	Singh et al., "Synthesis and Anticonvulsant Activity of New 1-Substituted 1'-Methyl-3-Chloro-2-Oxosprio (Azetidin-3', 4'-Indol-2' Ones)," <i>Bollettino Chimico Farmaceutico</i> 133:76-79 (1994)	
	A133	Slamon et al., "Studies of the HER-2-neu Proto-oncogene in Human Breast and Ovarian Cancer," <i>Science</i> 244:707-712 (1989)	
	A134	Soldi et al., "Platelet-activating factor (PAF) induces the early tyrosine phosphorylation of focal adhesion kinase (p125 <sup>FAX</sup> ) in human endothelial cells," <i>Oncogene</i> 13(3):515-525 (1996) ©Stockton Press	

Form PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.: 038602/1060	SERIAL NO.: 09/716,332
INFORMATION DISCLOSURE CITATION		APPLICANT: Narmada SHENOY, et al.	
		FILING DATE: 11/21/2000	GROUP ART UNIT: 1615
OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, Etc.)			
	A135	Songyang et al., "SH2 Domains Recognize Specific Phosphopeptide Sequences," <u>Cell</u> 72:767-778 (1993) ©Cell Press	
	A136	Songyang et al., "Specific Motifs Recognized by the SH2 Domains of Csk, 3BP2, fps-fes, GRB-2, HCP, SHC, Syk and Vav," <u>Molecular and Cellular Biology</u> 14:2777-2785 (1994) ©American Society for Microbiology	
	A137	Spada et al., "Small molecule inhibitors of tyrosine kinase activity," <u>Expert Opinion on Therapeutic Patents</u> 5(8):805-817 (1995) ©Ashley Publications	
	A138	Sun et al., "Synthesis and biological evaluations of 3-substituted indolin-2-ones: A novel class of tyrosine kinase inhibitors that exhibit selectivity toward particular receptor tyrosine kinases," <u>J. Med. Chem.</u> 41(14):2588-2603 (1998) ©The American Chemical Society	
	A139	Sun et al., "Design, Synthesis, and Evaluations of Substituted 3-[(3-or4-Carboxyethyl)pyrrol-2-yl)methylidene]indolin-2-ones as Inhibitors of VEGF, FGF, and PDGF Receptor Tyrosine Kinases," <u>J. Med. Chem.</u> (42):5120-5130 (1999). ©American Chemical Society	
	A140	Superti-Furga et al., "A functional screen in yeast for regulators and antagonizers of heterologous protein tyrosine kinases," <u>Nature Biotech</u> 14:600-605 (1996)	
	A141	Superti-Furga et al., "Csk inhibition of c-Src activity requires both the SH2 and SH3 domains of Src," <u>EMBO J.</u> 12:2625-2634 (1993) ©Oxford University Press	
	A142	Takano et al., "Inhibition of angiogenesis by a novel diaminoanthraquinone that inhibits protein kinase C," <u>Mol. Bio. Cell</u> 4:358A at abstract no. 2076 (1993)	
	A143	Thio et al., "Interconversion of 2-(2-aminophenyl)-3-piperolidinone and 3-(2-piperidylmethyl)-2-indolinone. Reversible N.dbr.N' transacylation" <u>J. Heterocycl. Chem.</u> , 8(3):479-482 (1971)	
	A144	Torp et al., "Expression of the Epidermal Growth Factor Receptor Gene in Human Brain Metastases," <u>AMPIS</u> 100:713-719 (1992)	
	A145	Traxler, "Protein tyrosine kinase inhibitors in cancer treatment," <u>Expert Opinion on Therapeutic Patents</u> 7(6):571-588 (1997) ©Ashley Publications Ltd.	
	A146	Tsal et al., "The effect of 3,3-Di-Pyridyl-Methyl-1-Phenyl-2-indoline on the nerve Terminal Currents of Mouse Skeletal Muscles," <u>Neuropharmacology</u> 31(9):943-947 (1992) ©Pergamon Press	
	A147	Tuzi et al., "Expression of growth factor receptors in human brain tumours," <u>Br. J. Cancer</u> 63:227-233 (1990)	
	A148	Twamley-Stein et al., "The Src Family Tyrosine Kinases are Required for Platelet-Derived Growth Factor-Mediated Signal Transduction in NIH 3T3 Cells," <u>Proc. Natl. Acad. Sci.</u> , 90:7696-7700 (1993)	
	A149	Vaisman et al., "Characterization of the Receptors for Vascular Endothelial Growth Factor," <u>J. Biol. Chem.</u> 265:19461-19466 (1990) ©The American Society for Biochemistry and Molecular Biology	
A150	Varma and Gupta, "Nucleophilic Reactions of 2-Methyl-3-(4'-carboxymethoxyphenyl)-4-quinazolinones with 2-Indolinones," <u>J. Indian Chem. Soc.</u> 66:804-805 (1989) ©The Indian Chemical Society		
A151	Voller et al., "Ch. 45 - Enzyme-Linked Immunosorbent Assay," in <u>Manual of Clinical Immunology</u> , 2nd edition, Rose and Friedman editors, American Society of Microbiology, Washington, D.C., pp. 359-371 (1980)		
A152	Walker, "The Reduction of Isoindogenides, Nitro Compounds, and Pyridines in a Series of 2-Indolinones," <u>J. Med. Chem.</u> 8(5):626-637 (1965)		

Form PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.: 038602/1060	SERIAL NO.: 09/716,332
INFORMATION DISCLOSURE CITATION		APPLICANT: Narmada SHENOY, et al.	
		FILING DATE: 11/21/2000	GROUP ART UNIT: 1815 <i>1814</i>
<i>[Signature]</i>	A153	Weidner et al. "Tumor Angiogenesis and Metastasis-Correlation in Invasive Breast Carcinoma," <u>New England Journal of Medicine</u> 324(1):1-8 (1991) ©Massachusetts Medical Society	
<i>[Signature]</i>	A154	Wright et al., "Inhibition of Angiogenesis in Vitro and In Ovo With an Inhibitor of Cellular Protein Kinases, MDL 27032," <u>J. Cellular Physiology</u> 152:448-457 (1992)	
<i>[Signature]</i>	A155	Zaman et al., "Tyrosine Kinase Activity of Purified Recombinant Cytoplasmic Domain of Platelet-Derived Growth Factor $\beta$ -Receptor ( $\beta$ -PDGFR) and Discovery of a Novel Inhibitor of Receptor Tyrosine Kinases," <u>Biochemical Pharmacology</u> 57(1):57-64 (1999) ©Elsevier Science Inc.	
<i>[Signature]</i>	A156	Zhang et al., "Microtubule Effects of Welvistatin, a Cyanobacterial Indolinone that Circumvents Multiple Drug Resistance," <u>Molecular Pharmacology</u> 49:228-294 (1996) ©The American Society for Pharmacology and Experimental Pharmaceutics	
EXAMINER <i>[Signature]</i> DWAYNE C. JONES PRIMARY EXAMINER		DATE CONSIDERED <i>12/4/03</i>	
* EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include any copy of this form with next communication to applicant.			